## STARLINGS

Common Name: starling

Other Names: European starling

Scientific Name: Sturnus vulgaris

Appearance:

size

- blackbird sized, about 3 ounces in weight

color

- black with purplish overcast and light speckles

- bright yellow bill spring and summer, gray at other times

Range:

- statewide

Habitat:

- occur in a wide variety of habitats, common in urban and

agricultural areas

Diet:

- variety of seeds, small fruits and insects

Reproduction: - build loose nests inside natural and manmade cavities

- lay 4-7 eggs twice per nesting season

Behavior:

- form large flocks when not nesting

- often roost together in dense foliage at night

- frequently very vocal

Problems:

- eat cultivated fruits and sprouting vegetables

- dropping damage and deface buildings, landscaping and other property

- droppings may transmit disease to humans, livestock and pets

- may enter buildings and eaves to nest

Solutions:

- holes used by nesting birds should be securely closed to prevent further access

- trees used by roosting birds should be selectively pruned to reduce cover

- fruit crops should be covered by bird netting

- lethal control methods where legal to reduce populations

## Legal Aspects:

- no state or federal laws regulating harvest or otherwise protecting this species
- use of poisons requires a permit from the Florida Game and Fresh Water Fish Commission
- check local ordinances before lethal methods are employed